Wuxi Shengquan Metal Products Co., Ltd. metalsstainless-steel.com

Thick / Thinwall Sanitary Stainless Steel Metal Tube 1.5 Inch 10mm 18mm

Basic Information

• Place of Origin: china

Brand Name: ShengQuanCertification: ISO9001:2000

• Model Number: 201/304/304L/316/316L/321/309/310/32750/32760/90

• Minimum Order Quantity: 1ton

• Price: USD1500-USD6000

Packaging Details: Standard Export Sea-Worthy Packing

• Delivery Time: 5-15days

Payment Terms:
 L/C, T/T, Western Union

• Supply Ability: 15000Tons



Product Specification

• Type: Plate, Coil, stainless Steel Sheet

Standard: ASTM,JIS,AISI,EN,GBLength: Customer's Request

• Grade: 201/202/304

/304L/316/316L321/310s/410/420/430/440/43

Product Name: ASTM JIS SUS 201 202 301 304 304l 316

316l 310Stainless Steel Sheet

• Thickness: 0.3mm-120mm,0.18-1.5mm,0.2-60mm,0.45-

5mm,0.01-200mm

• Highlight: Thinwall Stainless Steel Metal Tube,

18mm Stainless Steel Metal Tube, Thinwall sanitary stainless steel tubing



Thick / Thin Wall Seamless Stainless Steel Tubing Stockists 1.5 Inch 10mm / 18mm

What is Stainless Steel Tubing?

Stainless steel tubing is a strong and durable material that is used for structural purposes and is corrosion resistant with little need for maintenance. The diameters and variations of stainless tubing differ based on the requirements of an application and how it is to be used.

For most people, piping and tubing are the same, which has led to a certain amount of confusion regarding the use of the two products. Since both products have a circular or round cross section, it is assumed that they perform the same functions. Unlike pipes, tubes come in multiple shapes such as square and rectangular as well as the round shape.

One of the main differences between pipes and tubes is how they are used. Piping is a transport mechanism used for moving gases and liquids and not for structural purposes. It is measured by its inside diameter (ID). Tubing is used for structural purposes and is measured by its outside diameter and its wall thickness.

Chem	ical Pro	pertie	s of Fre	quently	-used	Stair	nles	s Ste	eel Mate	rial Gra	ade
UNS	ASTM	EN	JIS	C%	Mn%	P%	S%	Si %	Cr%	Ni%	Mo %
S201 00	201	1.437 2	SUS20 1	≤0.15	5.5- 7.5	≤0.0 6		≤1. 00	16.0- 18.0	3.5- 5.5	-
S202 00	202	1.437 3	SUS20 2	≤0.15	7.5- 10.0	≤0.0 6		≤1. 00	17.0- 19.0	4.0- 6.0	-
S301 00	301		SUS30	≤0.15	≤2.00		≤0.	≤1. 00	16.0- 18.0	6.0- 8.0	-
S304 00	304	1.430 1	SUS30 4	≤0.08	≤2.00		≤0.	≤0.	18.0- 20.0	8.0- 10.5	-
S304 03	304L	1.430 6	SUS30 4L		≤2.00		≤0.	≤0.	18.0- 20.0	8.0- 12.0	-
S309 08	309S	1	SUS30 9S	≤0.08	≤2.00	<0 0		≤0.	22.0- 24.0	12.0- 15.0	-
S310 08	310S	1.484	SUS31 0S	≤0.08	≤2.00		≤0.	≤1.	24.0- 26.0	19.0- 22.0	-
S316 00	316	ı	SUS31 6	≤0.08	≤2.00		≤0.	l	16.0- 18.0	10.0- 14.0	2.0- 3.0
S316 03	316L	1.440 4	SUS31 6L		≤2.00		≤0.		16.0- 18.0	10.0- 14.0	2.0- 3.0
S317 03	317L	1.443 8	SUS31 7L	≤0.03	≤2.00			≤0.	18.0- 20.0	11.0- 15.0	3.0- 4.0
S321 00	321	1.454 1	SUS32 1	≤0.08	≤2.00			≤0. 75	17.0- 19.0	9.0- 12.0	-
S347 00	347	1.455 0	SUS34 7	≤0.08	≤2.00	<0.0		≤0. 75	17.0- 19.0	9.0- 13.0	-
S405 00	405	1.400 2	SUS40 5	≤0.08	≤1.00	≤0.0 4		≤1. 00	11.5- 14.5	≤0.60	-
2400	409	l	SUS40 9	≤0.08	≤1.00	≤0.0 45	≤0.	≤1. 00	10.5- 11.75	≤0.50	-
S430 00	430	1.401 6	SUS43 0		≤1.00	<0 0		≤0. 75	16.0- 18.0	≤0.60	-
S434 00	434	l	SUS43 4	≤0.12	≤1.00	≤0.0 40		l	16.0- 18.0	-	-
S444 00	444		SUS44 4L	≤0.025	≤1.00	≤0.0 45		≤1. 00	17.5- 19.5	≤1.00	-
S403 00	403	-	SUS40 3	≤0.15	5.5- 7.5	≤0.0 4		≤0. 50	11.5- 13.0	≤0.60	-
S410 000	410		SUS41 0	≤0.15	≤1.00	≤0.0 35	03	00	11.5- 13.5	≤0.60	≤1.0 0
S420 00	420	1.402 1	0 SUS42 0J1	0.16~0 .25	≤1.00	≤0.0 4		≤1. 00	12.0- 14.0	≤0.75	≤1.0 0

S440 A	440A	1.402 8	SUS44 0A	0.60~0 .75	≤1.00	≤0.0 4	≤0. 03	≤1. 00	16.0- 18.0	-	≤0.7 5
S327 50	SAD2 507	1.441 0		≤0.03	ヒョン	≤0.0 35	l	l			3.0- 5.0
S318 03	SAF2 205	1.446 2		≤0.03	≤2.0	l .			ı	_	2.5- 3.5
N089 04	904L	1.453 9		≤0.0.3	e.) 11	≤0.0 35			ı		3.0- 4.0





Packing & Delivery

1. Who are we?

We are based in wuxi, China, start from 2021,sell to Mid East(35.00%),South America(20.00%),Southeast Asia(20.00%),Africa(5.00%),Eastern Asia(5.00%),Northern Europe(5.00%),Southern Europe(5.00%),South Asia(5.00%). There are total about 51-100 people in our office.

2. How can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

3. What can you buy from us? steel sheet coil,ppgi ppgl,galvanized steel coil,aluminum steel coil sheet,stainless steel

4. Why should you buy from us not from other suppliers? Integrating the superior resources of China's steel industry, we provide customers with high-quality steel products at preferential prices, and can ensure that the goods are delivered to customers in a timely manner.

5. What services can we provide?

Accepted Delivery Terms: FOB,CFR,CIF,EXW,FCA,DDP,DDU,Express Delivery

Accepted Payment Currency: USD, EUR, CNY;

Accepted Payment Type: T/T,L/C,Credit Card,Weste









e metalsstainless-steel.com

Intersection of Xigang Road and Chuntang Road, Xishan District, Wuxi City