

# DIN.2.1247 Beryllium Solid Bare Copper Wire 0.4 mm For Spring **Connectors**

## **Basic Information**

· Certification:

. Place of Origin: china ShengQuan Brand Name:

C10200 C10300 C11000 C12000 T1 T3 Model Number:

ISO9001:2000

• Minimum Order Quantity: 1ton

• Price: USD1500-USD6000

· Packaging Details: Standard Export Sea-Worthy Packing

• Delivery Time: 5-15days

Payment Terms: L/C, T/T, Western Union

. Supply Ability: 15000Tons



# **Product Specification**

· Shape: Plate, Coil, Flat Sheet, Sheet/Plate/wire Width: 3.0mm-1200mm,0.5--200mm,Customized

Material: Brass, Bronze, C10100

Conductor Material: Copper, Copper Clad Aluminum, Annealed

Copper Wire, CU/CCA/CCAM

· Application: Heating, motor, Transformer, Rectifier And

Such Coil, Ultra Fine Rectangular Enameled

Wire For Transfomer

Insulated,Bare,Other Type:

· Color: Optional, Red, Copper, Requirement

JIS,IEC,GB,NEMA Standard:

• Highlight: DIN.2.1247 Beryllium Bare Copper Wire,

0.4 mm Bare Copper Wire, 0.4 mm beryllium copper wire



#### **Product Description**

### DIN.2.1247 Beryllium Solid Bare Copper Wire 0.4 mm For Spring Connectors

Copper is the electrical conductor in many categories of electrical wiring. Copper wire is used in power generation, power transmission, power distribution for telecommunications, electronics circuitry, and countless types of electrical equipment. Copper and its alloys are also used to make electrical contacts. Electrical wiring in buildings is the most important market for the copper industry. About half of all copper mined is used to manufacture electrical wire and cable conductors.

#### Typical Physical Properties of Alloy 25(UNS.C17200) Copper Beryllium Alloy.

Density (g/cm3):	8.36
Density before age hardening (g/cm3):	8.25
Elastic Modulus (kg/mm2 (103)):	13.4
Thermal Expansion Coefficient (20 °C to 200 °C m/m/°C):	17 x 10-6
Thermal Conductivity (cal/(cm-s-°C)):	0.25
Melting Range (°C):	870-980

#### Mechanical and Electrical Properties of Alloy 25(UNS.C17200) Copper Beryllium Round Wires:

Lampar (*)	Heat Treatment			Electrical Conductivity percent IACS
A (TB00)	/	400 580	30-60	15-19
1/4 H (TD01)	/	570 795	3~25	15-19
CUBERYLL 1/2 H	,	740,000	0.45	45.40
(TD02)	/ /10 930 2	2~15	15-19	
3/4 H (TD03)	840 1070	2~8	15-19	
(TD04)	Y	915 1140	1~6	15-19
AT (TEOO)	3 hr 315	1050~1380	3 min	22-28
, ,			-	
(TH01) 2 hr 315 (CUBERYLL 1/2 HT 4 51 045	2 hr 315	1150~1450	2 min	22-28
	1.5hr 315	1200~1480	2 min	22-28
,				
	-1.0 hr 315	1250~1585	2 min	22-28
,				
7	1.0hr 315	1300~1585	1 min	   22-28 
	A (TB00) 1/4 H (TD01) 1/2 H (TD02) 3/4 H (TD03) H (TD04) AT (TF00) 1/4 HT (TH01) 1/2 HT (TH02) 3/4 HT (TH03) HT	Treatment  A (TB00) 1/4 H (TD01) 1/2 H (TD02) 3/4 H (TD03) H (TD04)  AT (TF00) 1/4 HT (TH01) 1/2 HT (TH02) 3/4 HT (TH03) HT  Treatment  A  A  A  A  A  A  A  A  A  A  A  A  A	Temper (*) Heat Treatment Strength Mpa  A (TB00)	Temper (*) Heat Treatment Strength Mpa 30-60  A (TB00) 400 580 30-60  1/4 H (TD01) 710 930 2~15  3/4 H (TD03) H (TD04) 710 930 2~8  H (TD04) 710 930 2~8  H (TD04) 710 930 2~8  H (TD03) H (TD04) 710 930 3 min 100 100 100 100 100 100 100 100 100 10



**Wuxi Shengquan Metal Products Co., Ltd.** is located in Wuxi City, Jiangsu Province. The company's products include seamless pipe, color coated plate, galvanized plate, aluminum plated plate, aluminum plate, copper plate, carbon steel pipe, wear-resistant plate, building materials, pipes and other products, which are widely used in chemical industry, pharmacy, electric power, shipbuilding, railway, automobile, papermaking and construction engineering. We ensure that customers are carefreein the whole process of product consultation, procurement, ordering and use! Over the years, the company has won the trust of our customers with high-quality products and first-class service. With your favor, our products are sold all over the world! We have customers in South America, North America and Southeast Asia. With the support of new and old customers, we will work harder and more enterprising to repay more customers with better and more efficient services.

#### **Packing & Delivery**





#### 1. Who are we?

We are based in wuxi, China, start from 2021,sell to Mid East(35.00%),South America(20.00%),Southeast Asia(20.00%),Africa(5.00%),Eastern Asia(5.00%),Northern Europe(5.00%),Southern Europe(5.00%),South Asia(5.00%). There are total about 51-100 people in our office.

#### 2. How can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

#### 3. What can you buy from us?

steel sheet coil,ppgi ppgl,galvanized steel coil,aluminum steel coil sheet,stainless steel

## 4. Why should you buy from us not from other suppliers?

Integrating the superior resources of China's steel industry, we provide customers with high-quality steel products at preferential prices, and can ensure that the goods are delivered to customers in a timely manner.

# 5. What services can we provide?

Accepted Delivery Terms: FOB,CFR,CIF,EXW,FCA,DDP,DDU,Express Delivery

Accepted Payment Currency:USD,EUR,CNY; Accepted Payment Type: T/T,L/C,Credit Card,Weste



15370898866

523639146@qq.com



metalsstainless-steel.com

Intersection of Xigang Road and Chuntang Road, Xishan District, Wuxi City