Wuxi Shengquan Metal Products Co., Ltd. metalsstainless-steel.com

0.8mm 1.0mm 2B Mirror Polishing AISI 316 304 Stainless Steel Sheet / Plate

Basic Information

Place of Origin: china

Brand Name: ShengQuanCertification: ISO9001:2000

• Model Number: 201/304/304L/316/316L/321/309/310/32750/32760/90

• Minimum Order Quantity: 1ton

• Price: USD1500-USD6000

Packaging Details: Standard Export Sea-Worthy Packing

• Delivery Time: 5-15days

Payment Terms:
 L/C, T/T, Western Union

• Supply Ability: 15000Tons



Product Specification

• Width: Or As Required

• Type: Plate, Coil, stainless Steel Sheet

Standard: ASTM,JIS,AISI,EN,GBLength: Customer's Request

• Thickness: 0.3mm-120mm,0.18-1.5mm,0.2-60mm,0.45-

5mm,0.01-200mm

• Technique: Cold Rolled, Hot Rolled

• Highlight: Hot Rolled 304 Stainless Steel Sheet,

Polishing Stainless Steel Plate 0.8mm, Mirror 316 Stainless Steel Sheet



Product Description

0.8mm 1.0mm 2b Mirror Polishing AISI 316 304 Stainless Steel Sheet/Plate

Stainless steel plate is divided into two kinds of hot rolled and cold rolled according to the manufacturing method, including thin cold plate with a thickness of 0.02-4 mm and medium and heavy plate with a thickness of 4.5-100 mm.

In order to ensure that the mechanical properties such as yield strength, tensile strength, elongation and hardness of various stainless steel plates meet the requirements, the steel plates must be annealed, solution treated, aging treatment and other heat treatment before delivery 05.10 88.57.29.38 special symbol

Standard	AISI,ASTM,GB,JIS	Material	SGCC,S350GD+Z,S550 GD+Z,DX51D,DX52D,DX 53D
Thickness	0.16-5mm	Width	25-1500mm
Tolerance	+/-0.02mm	Zinc coating	60-275g/m2
Coil ID	508-610MM	Coil Weight	3-8 tons
Technique	Hot rolled, cold rolled	Package	seaworthy package
Certification	ISO 9001- 2008,SGS,CE,BV	MOQ	25 TONS (in one 20ft FCL)
Delivery	15-20 days	Monthly Output	10000 tons
Surface treatment:	oiled, passivation or chromium-free passivation, passivation+oiled, chromium-free passivation+oiled, resistant to fingerprints or chromium-free resistant to fingerprints		
Spangle	regular spangle,minimal spangle, zero spangle,big spangle		
Payment	30%T/T in advanced+70% balanced;irrevocable L/C at sight		
Remarks	Insurance is all risks and accept the third party test		
	Mechanical properti	es of galvanized steel	
Usage	Grade	Yield strength(MPa)	Tensile strength(MPa)
Punching galvanized steel	DC51D+Z	-	270-500
	DC52D+Z	140-300	270-420
	DC53D+Z	140-260	270-380
Structure galvanized steel	S280GD+Z	≥280	≥360
	S350GD+Z	≥350	≥420
	S550GD+Z	≥550	≥560





Packing & Delivery

1. Who are we?

We are based in wuxi, China, start from 2021, sell to Mid East(35.00%), South America(20.00%), Southeast Asia(20.00%), Africa(5.00%), Eastern Asia(5.00%), Northern Europe(5.00%), Southern Europe(5.00%), South Asia(5.00%). There are total about 51-100 people in our office.

2. How can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

3. What can you buy from us?

steel sheet coil,ppgi ppgl,galvanized steel coil,aluminum steel coil sheet,stainless steel

4. Why should you buy from us not from other suppliers? Integrating the superior resources of China's steel industry, we provide customers with high-quality steel products at preferential prices, and can ensure that the goods are delivered to customers in a timely manner.

5. What services can we provide?

Accepted Delivery Terms: FOB,CFR,CIF,EXW,FCA,DDP,DDU,Express Delivery

Accepted Payment Currency: USD, EUR, CNY;

Accepted Payment Type: T/T,L/C,Credit Card,Weste





15370898866



523639146@gg.com



metalsstainless-steel.com