Annealed 316 Welded Stainless Steel Tube 25mm 50mm 100mm JIS DIN

Basic Information

. Place of Origin: china

. Brand Name: ShengQuan ISO9001:2000 · Certification:

Model Number: 201/304/304L/316/316L/321/309/310/32750/32760/90

• Minimum Order Quantity: 1ton


• Price: USD1500-USD6000

· Packaging Details: Standard Export Sea-Worthy Packing

• Delivery Time: 5-15days

Payment Terms: L/C, T/T, Western Union

. Supply Ability: 15000Tons



Product Specification

· Width: Or As Required

• Type: Plate, Coil, Sheet, tube ASTM,JIS,AISI,EN,GB Standard: Customer's Request . Length:

• Surface Treatment: Galvanized

• Technique: Cold Rolled, Hot Rolled

SGCC • Grade:

. Highlight: 25mm Welded Stainless Steel Tube,

316 Welded Stainless Steel Tube. Annealed 316 Stainless Steel Tube



Annealed 316 Welded Stainless Steel Tube 25mm 50mm 100mm JIS DIN GB

304 stainless steel is the most common stainless formula across industrial and consumer applications. With chromium and nickel alloys, 304 is resistant to many corrosion attacks. It's also popular in a wide range of applications because no post-weld anneal (a reheating and slow cooling process that relieves stress in metals after exposure to high heat) is required.

316 stainless steel is similar in chemistry to 304 but also includes molybdenum. That addition makes it much more corrosion resistant. Like 304, the 316 formula does not require post-weld annealing.

| Standard | AISI,ASTM,GB,JIS | Material | SGCC,S350GD+Z,S550 GD+Z,DX51D,DX52D,DX 53D |
|---|---|---------------------|--|
| Thickness | 0.16-5mm | Width | 25-1500mm |
| Tolerance | +/-0.02mm | Zinc coating | 60-275g/m2 |
| Coil ID | 508-610MM | Coil Weight | 3-8 tons |
| Technique | Hot rolled, cold rolled | Package | seaworthy package |
| Certification | ISO 9001- 2008,SGS,CE,BV | MOQ | 25 TONS (in one 20ft FCL) |
| Delivery | 15-20 days | Monthly Output | 10000 tons |
| Surface treatment: | oiled, passivation or chromium-free passivation, passivation+oiled, chromium-free passivation+oiled, resistant to fingerprints or chromium-free resistant to fingerprints | | |
| Spangle | regular spangle,minimal spangle, zero spangle,big spangle | | |
| Payment | 30%T/T in advanced+70% balanced;irrevocable L/C at sight | | |
| Remarks | Insurance is all risks and accept the third party test | | |
| Mechanical properties of galvanized steel | | | |
| Usage | Grade | Yield strength(MPa) | Tensile strength(MPa) |
| Punching galvanized steel | DC51D+Z | - | 270-500 |
| | DC52D+Z | 140-300 | 270-420 |
| | DC53D+Z | 140-260 | 270-380 |
| Structure galvanized steel | S280GD+Z | ≥280 | ≥360 |
| | S350GD+Z | ≥350 | ≥420 |
| | S550GD+Z | ≥550 | ≥560 |





Packing & Delivery

1. Who are we?

We are based in wuxi, China, start from 2021, sell to Mid East(35.00%), South America(20.00%), Southeast Asia(20.00%), Africa(5.00%), Eastern Asia(5.00%), Northern Europe(5.00%), Southern Europe(5.00%), South Asia(5.00%). There are total about 51-100 people in our office.

2. How can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

3. What can you buy from us?

steel sheet coil,ppgi ppgl,galvanized steel coil,aluminum steel coil sheet,stainless steel

4. Why should you buy from us not from other suppliers? Integrating the superior resources of China's steel industry, we provide customers with high-quality steel products at preferential prices, and can ensure that the goods are delivered to customers in a timely manner.

5. What services can we provide?

Accepted Delivery Terms: FOB,CFR,CIF,EXW,FCA,DDP,DDU,Express Delivery

Accepted Payment Currency: USD, EUR, CNY;

Accepted Payment Type: T/T,L/C,Credit Card,Weste





15370898866



523639146@gg.com



metalsstainless-steel.com